





# LAYOUT C

## NOTES

- All dimensions are in metres unless otherwise stated. Do not scale from this drawing.
- All items shown in grey are existing and are to remain unless stated otherwise.
- The information shown on this drawing is based on a topographical survey undertaken by 'David J. Webb Surveys' in November 2015.
- This drawing is to be read in conjunction with all CONWAY AECOM drawings for job ref. 60493383-C0449-P1 as listed on the scheme drawing contents table.
- This drawing is to be read in conjunction with LB Southwark Streetscape Design Guidance (SSDM) and all relevant contract clauses.
- Traffic management is to be in accordance with Chapter 8 of the Traffic Signs Manual and Safety at Street Works and Road Works.
- Contractor to scan for services prior to excavation and refer to utility records.
- Contractor to maintain access to all properties and businesses at all times and agree alternative access arrangements with stakeholders.
- Tactile paving to be laid with a maximum gradient of 1:12 except where specified in the setting out plans.
- Damaged slabs, blocks or kerbs as part of the adjacent construction works to be reinstated to match existing.



# LAYOUT D




### KEY

[Grey Box]	Carriageway resurfacing.
[Dark Grey Box]	Carriageway reinstatement.
[Patterned Box]	Bound footway construction (precast concrete paving flags).
[Patterned Box]	Uncontrolled blister tactile paving construction (precast concrete paving flags).
[White Box]	Proposed tactile foldlines.
[White Box]	Existing sinusoidal speed hump to be reinstated.
[Blue Box]	Proposed granite full height kerbs.
[Orange Box]	Proposed granite transition kerb.
[Green Box]	Proposed granite dropped kerb.
[Red Box]	Proposed quadrant kerb.
[Blue Circle]	Proposed TMP heritage bollard.
[Green Circle]	Proposed Manchester style bollard.
[EG Box]	Existing gully to be adjusted to new carriageway level. Refer to series 500.
[EG Box]	Existing gully to remain. Refer to series 500.
[Blue Box]	Existing utility covers and frames to be adjusted to match new carriageway/footway levels.
[Yellow Box]	Proposed road markings.

### LEGEND

[Grey Box]	Carriageway resurfacing.
[Dark Grey Box]	Carriageway reinstatement.
[Patterned Box]	Bound footway construction (precast concrete paving flags).
[Patterned Box]	Uncontrolled blister tactile paving construction (precast concrete paving flags).
[White Box]	Proposed tactile foldlines.
[White Box]	Existing sinusoidal speed hump to be reinstated.
[Blue Box]	Proposed granite full height kerbs.
[Orange Box]	Proposed granite transition kerb.
[Green Box]	Proposed granite dropped kerb.
[Red Box]	Proposed quadrant kerb.
[Blue Circle]	Proposed TMP heritage bollard.
[Green Circle]	Proposed Manchester style bollard.
[EG Box]	Existing gully to be adjusted to new carriageway level. Refer to series 500.
[EG Box]	Existing gully to remain. Refer to series 500.
[Blue Box]	Existing utility covers and frames to be adjusted to match new carriageway/footway levels.
[Yellow Box]	Proposed road markings.

### LOCATION PLAN




REV	DATE	DESCRIPTION/DETAILS	DRN	CHKD	APPRVD	BY
0	01/08/18	FIRST ISSUE				
A	23/10/18	CHANGES FOLLOWING DOW AND BUILDABILITY REVIEW	ACC	AMC	AGB	AGB
B	22/03/19	FINAL DETAILED DESIGN PACKAGE	ACC	AMC	AGB	AGB

Shaping Southwark's Highways
   
 160 TOOLEY STREET LONDON SE1P 5LX

PROJECT:	SOUTHWARK SPINE PACKAGE 1	
TITLE:	SERIES 100 GENERAL ARRANGEMENT SHEET 2 OF 3	
CONTRACT NO.:	60493383-C0449	
SCALE:	1 : 200 @ A3	PURPOSE: CONSTRUCTION
DRAWING NO.:	60493383-C0449-P1-100-02	REV: B
DATE DRAWN:	JULY 2018	DATE ISSUED: 22 MARCH 2019

# LAYOUT E



### LEGEND


#### KEY

- Carriageway resurfacing.
- Existing gully to be adjusted to new carriageway level. Refer to series 500.
- Proposed road markings.

### NOTES

1. All dimensions are in metres unless otherwise stated. Do not scale from this drawing.
2. All items shown in grey are existing and are to remain unless stated otherwise.
3. The information shown on this drawing is based on a topographical survey undertaken by David J. Webb Surveys in November 2015.
4. This drawing is to be read in conjunction with all CONWAY AECOM drawings for job ref. 60493383-C0449-P1 as listed on the scheme drawing contents table.
5. This drawing is to be read in conjunction with LB Southwark Streetscape Design Guidance (SSDM) and all relevant contract clauses.
6. Traffic management is to be in accordance with Chapter 8 of the Traffic Signs Manual and Safety at Street Works and Road Works.
7. Contractor to scan for services prior to excavation and refer to utility records.
8. Contractor to maintain access to all properties and businesses at all times and agree alternative access arrangements with stakeholders.
9. Tactile paving to be laid with a maximum gradient of 1:12 except where specified in the setting out plans.
10. Damaged slabs, blocks or kerbs as part of the adjacent construction works to be reinstated to match existing.

### LOCATION PLAN



REV	DATE	DESCRIPTION/DETAILS	DRN	CHKD	APPRVD	BY
B	22/03/19	FINAL DETAILED DESIGN PACKAGE	ACC	AMC	AGB	AGB
A	23/10/18	CHANGES FOLLOWING DOW AND BUILDABILITY REVIEW	ACC	AMC	AGB	AGB
0	01/08/18	FIRST ISSUE	ACC	AMC	AGB	AGB



PROJECT:

SOUTHWARK SPINE  
PACKAGE 1

TITLE

SERIES 100  
GENERAL ARRANGEMENT  
SHEET 3 OF 3

CONTRACT NO:	SCALE	PURPOSE	CONSTRUCTION	REV	BY
60493383-C0449	1 : 200 @ A3	CONSTRUCTION	CONSTRUCTION	B	

DRAWN	ACC	DESIGNED	ACC	CHECKED	ACC	APPROVED	AGB

DATE DRAWN: JULY 2018      DATE ISSUED: 22 MARCH 2019

LEFT INTENTIONALLY BLANK