

Multi-Ward Profiles 2023: North East Southwark

Southwark's Joint Strategic Needs Assessment

Knowledge & Intelligence

Southwark Public Health Division

September 2023

GATEWAY INFORMATION

Report title:	Multi-Ward Profiles 2023: North East Southwark
Status:	Public
Prepared by:	K Chapman
Contributors:	C Williamson
Approved by:	S Leahy
Suggested citation:	Multi-Ward Profiles 2023: North East Southwark. Southwark's JSNA. Southwark Council: London. 2023.
Contact details:	publichealth@southwark.gov.uk
Date of publication:	September 2023

This briefing provides a profile of the North East multi-ward area in Southwark

INTRODUCTION

This profile has been developed as part of Southwark's JSNA. It forms part of a series covering each of the five multi-ward areas in the borough. The profiles are intended to act as 'conversation starters' with local partners regarding health and wellbeing in their areas, rather than exhaustive reports.

The profile covers five key sections:

- People
- Place
- Starting Well
- Living Well
- Ageing Well

Due to the limited availability of timely and robust data at an electoral ward level, these profiles are only intended to provide a high level overview of each area. More detailed information on specific topic areas is available through the in-depth health needs assessments published as part of the JSNA.

We aim to continue to develop the multi-ward area profiles over time as more information becomes available, and welcome your comments and suggestions on information you would find useful. Contact us at: publichealth@southwark.gov.uk

The North East multi-ward area in Southwark is home to 59,900 residents

SUMMARY

The North East multi-ward area of Southwark starts from the neighbourhoods of Bermondsey in the west and stretches across through the Rotherhithe peninsula to the eastern-most part of Southwark in Surrey Docks. Around 59,900 residents live in North East Southwark, an additional 4,800 people compared to 2011.

The area has more young adults aged in their mid-twenties to late-thirties, and less children than the Southwark average. However, the fertility rate is declining at a slower pace, particularly in Surrey Docks which sees a high number of births. Less ethnic diversity is present in North East when compared with the borough average, with 41% of the population identifying with a non-White ethnic background.

Substantial inequality exists between the Surrey Docks, and South Bermondsey wards in North East Southwark. While South Bermondsey sees among the borough's highest rates of disability, unemployment, and lowest median incomes; Surrey Docks sees much less social and economic disadvantage, and is the 3rd least deprived ward in Southwark.

Some of the poorest child health outcomes in the borough are seen in the North East area. South Bermondsey, North Bermondsey and Rotherhithe wards have the lowest breastfeeding coverage rates in Southwark, and the whole multi-ward area sees higher rates of emergency hospital admissions in young children aged under 5. However, North East sees lower rates of long-term conditions across the life-course, and lower mortality rates when compared with Southwark as a whole.


This briefing provides a profile of the North East multi-ward area in Southwark

Section	Subject	Page
Geography		6
People	Population	8
	Ethnicity	10
	English proficiency	11
	Disability	12
Place	Deprivation	13
	Housing	14
	Crime	15
	Income	16
	Unemployment and workless through sickness	17
Starting Well	Birth trends	18
	Breastfeeding continuation	19
	Emergency admissions of under 5 year olds	20
	Child excess weight	22
Living Well	Hospital admissions	23
	Long-term conditions	24
Ageing Well	Life expectancy	26
	Hip fractures	27
	Mortality	28
Summary tables		29

The North East multi-ward area in Southwark covers four of the 23 electoral wards

GEOGRAPHY

Figure 1: Map of North East multi-ward area




Reference

1. © Crown copyright and database rights 2023. Ordnance Survey (0)100019252

There are a number of schools, GP practices, care homes, and other physical assets throughout the North East area

GEOGRAPHY

Figure 2: Map of physical assets in North East multi-ward area



Reference

1. © Crown copyright and database rights 2023. Ordnance Survey (0)100019252

Around 59,900 people live in North East Southwark, with the population increasing by one-tenth since 2011

PEOPLE: POPULATION

North East Southwark is home to an additional 4,800 residents in 2021 compared to 2011.

- The number of residents in North East Southwark has increased in line with the borough trend, however the change has not been uniform across each ward.
- Surrey Docks ward has seen the largest increase in its population, increasing by 16% in the decade since 2011, equivalent to an additional 1,800 people.
- South Bermondsey has seen the smallest increase (4%), equivalent to an additional 620 people.

Table 1: Resident population estimates, in 2011 and 2021

Area	Population		Change over the decade	
	2011 Mid-year estimate	2021 Census	Number	Percentage
North Bermondsey	14,490	15,280	790	5%
South Bermondsey	15,330	15,950	620	4%
Rotherhithe	14,050	15,630	1,580	11%
Surrey Docks	11,220	13,000	1,780	16%
North East	55,090	59,860	4,770	9%
Southwark	288,720	307,620	18,900	7%

Reference

1. Population and household estimates, England and Wales: Census 2021. Office for National Statistics. 2022.

North East Southwark has a high proportion of the population made up by younger adults aged 25 to 39

PEOPLE: POPULATION

The North East area is home to around 59,900 residents, with around 16,800 people aged under 20; 50,900 people aged 20 to 64; and 6,300 people aged 65 and over.

- In North East Southwark, the proportion of the population made up by younger adults aged 25 to 39 is substantially higher than seen across Southwark as a whole.
- Conversely, there is a substantially lower proportion of the population of North East Southwark made up by children aged under 15, when compared to Southwark as a whole.

Figure 3: Population age structure of East Central multi-ward area, compared to age structure of Southwark, 2021




Table 2: Resident population estimates, by age group, 2021

Area	Population		
	Under 20	20 to 64	65 and over
North Bermondsey	2,600	11,400	1,300
South Bermondsey	3,300	11,400	1,300
Rotherhithe	3,000	11,500	1,200
Surrey Docks	2,000	10,100	900
North East	10,900	44,300	900
Southwark	64,700	217,300	25,700

Reference

1. Population and household estimates, England and Wales: Census 2021. Office for National Statistics. 2022.

The North East area is less ethnically diverse than the Southwark average

PEOPLE: ETHNICITY

Southwark is a diverse borough with people from a wide range of ethnicities and backgrounds.

- Just over half (51%) of Southwark’s population is of White ethnicity; 25% Black, Black British, Caribbean or African; 10% Asian or Asian British; 7% Mixed or Multiple; and 6% from ‘Other’ ethnic backgrounds.
- Around 49% of Southwark residents are of non-White ethnicity. Diversity of ethnicity in North East Southwark is lower than seen across Southwark and London, with 41% of residents identifying with a non-White ethnic group.
- There is significant variation across the North East area, with almost 1 in 2 residents in South Bermondsey being of a non-White ethnic background, compared to around 1 in 3 in Surrey Docks.

Table 3: Percentage of residents by ethnic group and ward, 2021

Area	White	Black, Black British, Caribbean or African	Asian or Asian British	Mixed or Multiple ethnic groups	Other
North Bermondsey	63%	16%	10%	6%	5%
South Bermondsey	53%	24%	9%	7%	7%
Rotherhithe	56%	19%	14%	7%	5%
Surrey Docks	67%	9%	13%	7%	4%
North East	59%	17%	11%	7%	5%
Southwark	51%	25%	10%	7%	6%
London	54%	14%	21%	6%	6%
England	81%	4%	10%	3%	2%

Reference

1. Ethnic group, England and Wales: Census 2021. Office for National Statistics. 2022.


North East has a smaller proportion of residents with low English proficiency than is seen across Southwark

PEOPLE: ENGLISH PROFICIENCY

In 2021, over 10,200 Southwark residents reported not being able to speak English well, or at all, accounting for around 3% of the population. However, this varies notably by ward.

- The North East multi-ward area has a lower proportion of its residents who have low English proficiency, compared to Southwark as a whole.
- Around 3% of North East Southwark residents have low English proficiency, though there is notable variation across the wards.
- In South Bermondsey, around 1 in 25 residents have low English proficiency, equivalent to around 600 residents. This compares to around 1 in 50 residents in Surrey Docks with low English proficiency.

Figure 4: Percentage of residents who cannot speak English well or at all, 2021



Reference

1. Language, England and Wales: Census 2021. Office for National Statistics. 2022.


Almost 1 in 7 residents in North East Southwark are disabled, equivalent to 8,100 people

PEOPLE: DISABILITY

In 2021, over 42,000 (14%) Southwark residents were disabled based on definitions used in the Equality Act (2010). This is similar to the proportion across London, but lower than England.

- The North East multi-ward area has a similar proportion of its residents with a disability, compared to the borough and London average. Around 13% of residents are disabled, equivalent to 8,100 people.
- Surrey Docks ward has the lowest proportion of residents with a disability out of all wards in Southwark, with around 1 in 10 residents being disabled.
- South Bermondsey ward ranks third highest in Southwark for the proportion of residents with a disability, with around 2,500 people disabled according to the Equality Act (2010).

Figure 5: Percentage of residents who are disabled under the Equality Act (2010), 2021




Reference

1. Disability, England and Wales: Census 2021. Office for National Statistics. 2023.

Deprivation across the area varies, however Surrey Docks has one of the lowest levels of deprivation in Southwark

PLACE: DEPRIVATION

Figure 6: Indices of Deprivation, 2019



Southwark is one of the most deprived boroughs in England, ranked 43rd out of 326 local authorities. However there is significant variation in deprivation across the borough.

- Levels of deprivation in North East Southwark are some of the lowest in the borough.
- Two wards out of the four are among the top 10 least deprived wards in Southwark (out of 23), with Surrey Docks being the fourth least deprived ward in the borough.

Table 4: Deprivation score and rank by ward

Area	ID Score	Ward rank
North Bermondsey	22.1	15
South Bermondsey	27.2	11
Rotherhithe	23.7	13
Surrey Docks	18.0	20
Southwark	25.3	


Reference

1. Department for Communities & Local Government. Indices of Deprivation, 2019.

Levels of socially-rented housing in North East Southwark vary substantially across wards

PLACE: HOUSING

Figure 7: Socially-rented households in 2021



Out of all local authorities in England, Southwark ranks joint highest with Hackney and Islington for the proportion of households that are socially rented.

- The proportion of socially-rented homes in North East area is slightly lower than the borough proportion, at 36%.
- There is substantial variation across the area, ranging from around 1 in 2 households (48%) in South Bermondsey, to around 1 in 5 households (21%) in Surrey Docks.

Table 5: Socially-rented households

Area	All Residential Addresses	Council or TMO	Percentage council or TMO
North Bermondsey	7,200	2,500	35%
South Bermondsey	6,900	3,300	48%
Rotherhithe	6,900	2,700	40%
Surrey Docks	5,900	1,200	21%
North East	26,900	9,800	36%
Southwark	130,800	52,000	40%
London	3,423,900	791,000	23%
England	23,436,100	4,005,700	17%

TMO or 'Tenant Management Organisation': social housing where tenants in the area provide some or all housing management tasks on behalf of the council

Reference

1. Housing, England and Wales: Census 2021. Office for National Statistics. 2023.


North East Southwark sees some of the lowest crime rates in the borough

PLACE: CRIME

The Metropolitan Police Crime Dashboard provides details of the number of recorded offences across London.

- The overall crime rate includes all offences recorded by the police. In 2022, there were 131 crimes per 1,000 residents in Southwark, equivalent to over 41,800 recorded. This rate is substantially higher than the London average.
- The crime rate for North East Southwark is substantially lower than the Southwark average. There were 6,700 total offences in the area in 2022.
- In North East Southwark, highest crime rates are seen in Rotherhithe ward, with lowest rates seen in Surrey Docks.

Figure 8: Overall crime rate per 1,000 residents in 2022



Reference

1. Metropolitan Police. Crime Data Dashboard. 2022. www.met.police.uk/sd/stats-and-data/met/crime-data-dashboard/


North East multi-ward area has a similar median household income to the London average

PLACE: INCOME

Median household income in Southwark in 2023 was £43,800, over £3,000 lower than the median household income across London.

- The North East multi-ward area has a median household income around £2,500 higher than the Southwark average, standing at £46,300.
- The North East area has a median income similar to that seen across London as a whole.
- However, there is substantial variation across the North East area. South Bermondsey has the fifth lowest median income of all wards in Southwark, compared with Surrey Docks which has the fourth highest median income out of the 23 wards in Southwark.

Figure 9: Median household income (£), 2023



Reference

1. CACI Paycheck Directory, 2023

There is substantial variation in unemployment across wards in North East Southwark

PLACE: UNEMPLOYMENT

Rates of unemployment across Southwark are slightly higher than seen nationally, with 7% of working age adults in the borough claiming out of work benefit.

- Rates of unemployment in North East are notably below the borough average, at 5.8%.
- However, this varies substantially across the area, with highest rates seen in South Bermondsey where around 8% of adults were claiming out of work benefit, significantly above the borough average.
- Conversely, Surrey Docks and North Bermondsey see some of the lowest rates in the borough.
- Around 2% of the working population in North East are workless due to sickness, equivalent to 1,200 residents. Rates of unemployment through sickness are highest in South Bermondsey (400 residents).

Figure 10: Percentage of working age population claiming out of work benefit, 2021/22





Figure 11: Percentage of working age population who are workless through sickness, 2022



References

1. NOMIS Labour Market Statistics. 2021 to 2022.
2. Department for Work and Pensions, Aug 2022.

The general fertility rate is declining at a slower rate in North East Southwark compared to the borough average

STARTING WELL: BIRTHS

The general fertility rate in Southwark has fallen over time. While this downward trend is seen across the borough, it is declining at a slower rate in North East Southwark.

- Since 2011, the number of live births to Southwark women has fallen by one-third (32%).
- There has been a smaller decline in the number of births to women in the North East area when compared with Southwark as a whole, declining by a fifth (18%) over the decade.
- The North East area has a slightly higher general fertility rate in 2021 than Southwark, with 44 births per 1,000 females aged 15-44.
- The general fertility rate is lowest in Rotherhithe, at 32 births per 1,000. This ward has also seen the greatest decline over the decade (39%).
- Surrey Docks has the highest fertility rate, seeing an increase of a tenth (9%) over the decade.

Table 6: Live births by ward, 2011 and 2021

Area	Live births		Change 2011 to 2021		General fertility rate 2021
	2011	2021	Number	Percentage	
North Bermondsey	245	217	-28	-11%	49.2
South Bermondsey	260	198	-62	-24%	45.7
Rotherhithe	242	147	-95	-39%	32.2
Surrey Docks	182	198	16	9%	51.0
North East	929	760	-169	-18%	44.2
Southwark	5252	3597	-1655	-32%	42.5

Reference

1. NHS Digital. Birth Files for Southwark. 2011 to 2021.


Wards in North East Southwark have the lowest breastfeeding coverage in the borough

STARTING WELL: BREASTFEEDING

The World Health Organisation recommend exclusive breastfeeding for the first six months of life. Between 2018/2019 to 2021/22, 85% of children in Southwark were breastfed either exclusively or partially at 6 to 8 weeks.

- Breastfeeding coverage in North East Southwark is significantly below that for Southwark as a whole, with 1 in 5 children having no breast milk feeding at all.
- Coverage of some breastfeeding (exclusively or partially) was highest in Surrey Docks, and lowest in Rotherhithe, and South Bermondsey, with 1 in 5 children with no breast milk feeding at all.
- Breastfeeding coverage in North Bermondsey, South Bermondsey and Rotherhithe was significantly below the borough average, with all three wards being in bottom five for overall breastfeeding coverage in Southwark.

Figure 12: Breastfeeding at 6 to 8 week visit, 2018/19 to 2021/22



Reference

1. GSTT. Health visiting analysis of EYMDS, 2018/19 to 2021/22.


The North East area has some of the highest rates of 0-4 year old emergency hospital admissions in the borough

STARTING WELL: EMERGENCY ADMISSIONS

Emergency admissions in young children are frequently preventable, and often give an indication of wider determinants of poor health such as housing and air quality.

- In 2019/20, there were around 1,500 emergency hospital admissions among children aged under 5 in Southwark, with rates significantly below the national average.
- In North East Southwark, rates of admission are notably higher than across Southwark. There were around 313 total emergency admissions in 2019/20.
- The North East area has some of the highest rates of emergency admissions in the borough, with South Bermondsey, and Surrey Docks having rates significantly above that of Southwark.
- Rates in North Bermondsey, and Rotherhithe are higher than Southwark, but not significantly.

Figure 13: Emergency hospital admissions among children aged 0 to 4 years, per 1,000 population, 2019/20



Reference

1. Hospital Episode Statistics. NHS Digital, 2019/20. From Local Health tool.

Levels of child excess weight in North East Southwark are comparable to the borough average

STARTING WELL: EXCESS WEIGHT

Levels of excess weight in both Reception and Year 6 are statistically similar to the borough average across most wards in North East Southwark.

- Around one-quarter (24%) of children living in North East Southwark are overweight or obese in Reception, rising to over 40% by Year 6. This mirrors the pattern seen in Southwark overall.
- While there is some variation in excess weight across the five wards, excess weight in Year 6 is significantly above the borough average for South Bermondsey.

Table 7: Percentage of child excess weight by school year, 2019/20 to 2021/22

Area	Excess weight	
	Reception	Year 6
North Bermondsey	25.9%	42.9%
South Bermondsey	28.4%	49.4%
Rotherhithe	23.8%	40.3%
Surrey Docks	19.2%	37.0%
North East	24.3%	42.4%
Southwark	24.8%	41.2%
London	21.8%	38.9%
England	22.6%	35.8%



Reference

1. National Child Measurement Programme (NCMP). NHS Digital. 2019/20 to 2021/22.

Levels of child excess weight in Southwark vary significantly by ward

STARTING WELL: EXCESS WEIGHT

Figures 14 & 15: Significance of excess weight prevalence in Reception and Year 6 compared with Southwark: 2019-20 to 2021-22



Reference

1. National Child Measurement Programme (NCMP). NHS Digital. 2019/20 to 2021/22.

Hospital admission levels vary significantly within North East Southwark

LIVING WELL: HOSPITAL ADMISSIONS

Hospital admissions are often used to measure the effectiveness of local health and care service collaboration in supporting health and independence in the community.

- In North Bermondsey, and South Bermondsey, rates of both COPD emergency admissions and alcohol-related admissions are significantly above the borough average.
- Conversely, in Surrey Docks, rates are significantly below the borough average for COPD and all cause emergency admissions, and alcohol-related admissions.

Table 8: Standardised admission ratio for emergency hospital admissions for all causes, CHD, COPD, and alcohol-related admissions: 2016/17 to 2020/21

Area	All causes emergency admissions	Coronary heart disease emergency admissions	COPD emergency admissions	Alcohol-related admissions
North Bermondsey	91	104	259	128
South Bermondsey	107	87	213	136
Rotherhithe	91	90	265	116
Surrey Docks	83	72	70	84
North East	93	88	202	116
Southwark	91	75	148	108
London	92	92	90	96
	Outcome significantly poorer than Southwark	Outcome statistically similar to Southwark	Outcome significantly better than Southwark	

Note: Standardised admission ratios (SAR) give an indication of the likelihood of hospital admission in the population from certain causes, when compared to the likelihood across England.

Reference

1. Hospital Episode Statistics (HES), NHS Digital. Public Health England. Local Health Tool. www.localhealth.org.uk

The North East area has lower rates of diabetes and hypertension compared to Southwark

LIVING WELL: LONG-TERM CONDITIONS

When compared to Southwark, the North East area has a lower rate of diabetes and hypertension per 1,000 population and a higher rate of COPD.

- The North East multi-ward area also sees similar rates of asthma, depression, coronary heart disease and cancer, compared to Southwark.
- Surrey Docks has lower rates than Southwark for all long-term conditions.
- North Bermondsey has high rates of COPD and CHD; South Bermondsey has high rates of COPD and depression.

Table 9: Long-term conditions rates per 1,000 population, by area, 2023

Area	Type 2 diabetes	Asthma	COPD	Depression	Coronary heart disease	Cancer	Hypertension
North Bermondsey	49	46	17	101	16	24	104
South Bermondsey	55	44	17	110	14	21	102
Rotherhithe	43	40	14	112	14	22	97
Surrey Docks	33	36	10	97	12	25	85
North East	46	42	14	106	14	23	98
Southwark	54	43	12	103	13	23	105

Outcome higher than Southwark	Outcome comparable to Southwark	Outcome lower than Southwark
-------------------------------	---------------------------------	------------------------------

Reference

1. Long-term conditions dashboard. South East London Integrated Care System. Data to December 2023.

Life expectancy in North East Southwark is comparable to the borough average for both male and females

AGEING WELL: LIFE EXPECTANCY

Life expectancy is often used as an overarching measure of population health. While life expectancy in the borough has increased in the past decade, significant inequalities remain.

- Life expectancy in North East Southwark overall is comparable to Southwark, though there is variation within the area.
- Life expectancy for both males and females is lowest in North Bermondsey ward, and highest in Surrey Docks ward.

Table 10: Life expectancy at birth for males and females, 2016 to 2020

Area	Life expectancy at birth	
	Males	Females
North Bermondsey	79.0 yrs	83.2 yrs
South Bermondsey	79.1 yrs	85.3 yrs
Rotherhithe	79.9 yrs	83.5 yrs
Surrey Docks	83.2 yrs	85.5 yrs
North East	80.3 yrs	84.4 yrs
Southwark	79.4 yrs	84.3 yrs
London	80.3 yrs	84.3 yrs
England	79.4 yrs	83.1 yrs

Reference



1. Primary Care Mortality Database & ONS Mid-year resident population estimates, 2016 to 2020

Life expectancy in North East Southwark is comparable to the borough average for both male and females

AGEING WELL: LIFE EXPECTANCY

Life expectancy is often used as an overarching measure of population health. While life expectancy in the borough has increased over the past decade, significant inequalities remain.

Figures 16 & 17: Significance of life expectancy at birth by ward for males and females in Southwark 2016 to 2020



Reference

1. Primary Care Mortality Database & ONS Mid-year resident population estimates, 2016 to 2020


Hospital admissions for hip fractures in the North East area are statistically similar to the Southwark average

AGEING WELL: FRAILITY

Hip fractures are debilitating, with only one in three patients returning to their former levels of independence, and many requiring long-term care as a result.

- The standardised admission ratio (SAR) for hip fractures in Southwark is 85, indicating a lower admission rate than the England average. Southwark's SAR is statistically similar to that across London.
- North East Southwark's admission ratio is statistically similar to that across Southwark.
- Admissions for hip fractures are highest in residents living in Rotherhithe, and lowest in residents living in Surrey Docks. However, ratios are not statistically significantly different between wards.

Figure 18: Standardised admission ratio for emergency admissions for hip fractures in persons aged 65 and over, 2016/17 to 2020/21



Reference

1. Public Health England. Local Health Tool. www.localhealth.org.uk

North East has lower than borough average mortality from all causes, cancer, and coronary heart disease

AGEING WELL: MORTALITY

Standardised mortality ratios (SMR) give an indication of the likelihood of mortality in the population from certain causes, when compared to the likelihood across England.

- An SMR below 100 indicates a lower likelihood, and SMR above 100 indicates a higher likelihood.
- For mortality related to all causes, cancer, and coronary heart disease, the SMR in North East is lower than the average across Southwark and England.
- All wards in North East Southwark have rates of coronary heart disease that are below the borough average. For all causes, cancer, respiratory disease and preventable mortality, there is substantial variation in rates across the wards.

Table 11: Standardised mortality ratios of deaths from all causes, cancer, coronary heart disease, respiratory disease, and deaths from causes considered preventable, 2016 to 2020

Area	All causes	Cancer	Coronary heart disease	Respiratory disease	Preventable mortality in those aged under 75
North Bermondsey	103	102	79	85	101
South Bermondsey	91	95	77	100	120
Rotherhithe	97	87	63	105	92
Surrey Docks	78	104	52	69	92
North East	92	97	68	90	101
Southwark	94	101	92	90	102
England	100	100	100	100	100

Outcome poorer than Southwark	Outcome comparable to Southwark	Outcome better than Southwark
-------------------------------	---------------------------------	-------------------------------

Reference

1. Public Health England. Local Health Tool. 2016 to 2020. www.localhealth.org.uk

The summary tables provide a high level overview of the North East multi-ward area compared to Southwark

SUMMARY TABLE

Indicator	Southwark	North East Southwark	North Bermondsey	South Bermondsey	Rotherhithe	Surrey Docks
Total number of residents	307,620	59,900	15,300	16,000	15,600	13,000
Non-white population (%)	49%	41%	37%	47%	44%	33%
Percentage of residents with low English proficiency	3.4%	2.8%	2.3%	4.1%	2.8%	1.9%
Percentage of residents with a disability	14%	13%	14%	15%	13%	11%
Deprivation score	25.3	-	22.9	27.2	23.7	18.0
Proportion of households socially rented	40%	36%	35%	48%	40%	21%
Crime rate per 1,000	130.8	91.1	90.4	106.3	114.9	84.9
Percentage of population unemployed	6.9%	5.8%	4.9%	7.9%	5.6%	4.9%
Percentage of population workless due to sickness	2.9%	2.4%	2.2%	3.4%	2.5%	1.6%
Coverage of some breastfeeding at 6 to 8 weeks	85%	82%	81%	80%	80%	86%
General fertility rate, births per 1,000	42.5	44.2	49.2	45.7	32.2	51.0
Emergency admissions among 0-4 year olds, per 1,000	93.0	104.0	93.3	112.8	91.9	117.8
Percentage of child excess weight at Reception	25%	24%	26%	28%	24%	19%
Percentage of child excess weight at Year 6	41%	42%	43%	49%	40%	37%
Male life expectancy at birth in years	79.4	80.3	79.0	79.1	79.9	83.2
Female life expectancy at birth in years	84.3	84.4	83.2	85.3	83.5	85.5

Outcome significantly worse than Southwark	Outcome worse than Southwark but not significantly	No measure of significance compared to Southwark	Outcome better than Southwark but not significantly	Outcome significantly better than Southwark
--	--	--	---	---

The summary tables provide a high level overview of the North East multi-ward area compared to Southwark

SUMMARY TABLE

Indicator	Southwark	North East Southwark	North Bermondsey	South Bermondsey	Rotherhithe	Surrey Docks
Diabetes, rate per 1,000	54	46	49	55	43	33
Asthma, rate per 1,000	43	42	46	44	40	36
COPD, rate per 1,000	12	14	17	17	14	10
Depression, rate per 1,000	103	106	101	110	112	97
Coronary heart disease, rate per 1,000	13	14	16	14	14	12
Cancer, rate per 1,000	23	23	24	21	22	25
Hypertension, rate per 1,000	105	98	104	102	97	85
All causes emergency admissions, SAR	91	93	91	107	91	83
Hospital admissions for coronary heart disease, SAR	75	88	104	87	90	72
Hospital admissions for COPD, SAR	148	202	259	213	265	70
Hospital admissions for alcohol, SAR	108	116	128	136	116	84
Deaths from all causes, SMR	94	92	103	91	97	78
Deaths from cancer, SMR	101	97	102	95	87	104
Deaths from respiratory disease, SMR	92	68	79	77	63	52
Deaths from cardiovascular disease, SMR	90	90	85	100	105	69
Preventable mortality in under 75 year olds, SMR	102	101	101	120	92	92
Outcome significantly worse than Southwark	Outcome worse than Southwark but not significantly	No measure of significance compared to Southwark	Outcome better than Southwark but not significantly	Outcome significantly better than Southwark		

Find out more at
southwark.gov.uk/JSNA

Knowledge & Intelligence
Southwark Public Health Division

 [@lb_southwark](https://twitter.com/lb_southwark)  facebook.com/southwarkcouncil